

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	2	platter near9 (divid\$4 or partition\$4 or segment\$4 or fragment\$5) near9 (ROM or (read\$1only) or (flash memory) or (RAM) or (read only))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/08/22 13:15
L3	21	(magnetic dis\$4) near9 (divid\$4 or partition\$4 or segment\$4 or fragment\$5) near9 (ROM or (read\$1only) or (flash memory) or (RAM) or (read only))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/08/22 13:34
L4	46	(magnetic dis\$4) near15 (divid\$4 or partition\$4 or segment\$4 or fragment\$5) near15 (ROM or (read\$1only) or (flash memory) or (RAM) or (read only))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/08/22 13:36
S3	1	713/193.ccls. and ((partition\$3 or divid\$4) same (dis\$1 or (hard adj dis\$1)) same (sector\$1 or zone\$1 or part\$1 or spaces) same (ROM or "read only memory" or read\$1only) same (math\$10 or comput\$3 or calculat\$4 or formula))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/15 16:07
S4	1	713/193.ccls. and ((partition\$3 or divid\$4) same (dis\$1 or (hard adj dis\$1)) same (sector\$1 or segments or zone\$1 or part\$1 or spaces) same (ROM or "read only memory" or read\$1only) same (math\$10 or comput\$3 or calculat\$4 or formula))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/15 16:06
S5	7	713/200.ccls. and ((partition\$3 or divid\$4) same (dis\$1 or (hard adj dis\$1)) same (sector\$1 or segments or zone\$1 or part\$1 or spaces) same (ROM or "read only memory" or read\$1only) same (math\$10 or comput\$3 or calculat\$4 or formula))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/15 16:12
S6	7	713/200.ccls. and ((partition\$3 or divid\$4) same (dis\$1 or (hard adj dis\$1)) same (sector\$1 or segments or zone\$1 or part\$1 or spaces or sections) same (ROM or "read only memory" or read\$1only) same (math\$10 or comput\$3 or calculat\$4 or formula))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/15 16:35

EAST Search History

S7	299	((partition\$3 or divid\$4) same (dis\$1 or (hard adj dis\$1)) same (sector\$1 or segments or zone\$1 or part\$1 or spaces or sections) same (ROM or "read only memory" or read\$1only) same (math\$10 or comput\$3 or calculat\$4 or formula))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/15 17:25
S8	4	((partition\$3 or divid\$4) same (dis\$1 or (hard adj dis\$1)) same (sector\$1 or segments or zone\$1 or part\$1 or spaces or sections) same ("data security" or (protect\$3 near2 data)) same (math\$10 or calculat\$4 or formula))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/15 17:28
S9	0	((partition\$3 or divid\$4) same (dis\$1 or (hard adj dis\$1)) same (sector\$1 or segments or zone\$1 or part\$1 or spaces or sections) same ("data security" or (protect\$3 near2 data)) same (compar\$3 near8 size))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/15 17:29
S10	1	((partition\$3 or divid\$4) same (dis\$1 or (hard adj dis\$1)) same (sector\$1 or segments or zone\$1 or part\$1 or spaces or sections) same ("data security" or (protect\$3 near2 data)) same (dis\$1 near2 size))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/15 17:31
S11	0	((partition\$3 or divid\$4) same (dis\$1 or (hard adj dis\$1)) same (sector\$1 or segments or zone\$1 or part\$1 or spaces or sections) same ("user zone" same "protected zone") same (dis\$1 near2 size))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/15 17:33
S13	0	(partition\$3 or divid\$4) same (dis\$1 or (hard adj dis\$1)) same (sector\$1 or segments or zone\$1 or part\$1 or spaces or sections) same ("user zone" same "protected zone" same "ROM zone")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/15 17:35
S14	37	(partition\$3 or divid\$4) same (dis\$1 or (hard adj dis\$1)) same (sector\$1 or segments or zone\$1 or part\$1 or spaces or sections) same (mathematic\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/15 17:39
S15	2	"09542681"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/15 17:39
S16	0	("2004/0136295").URPN.	USPAT	OR	ON	2005/04/15 17:39

EAST Search History

S17	18	(partition\$3 or divid\$4) same (dis\$1 or (hard adj dis\$1)) same (ROM or (read\$1only adj memory) or read\$1only) adj (sector\$1 or segments or zone\$1 or part\$1 or spaces or sections)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/15 20:50
S18	822	(partition\$3 or divid\$4) same (dis\$1 or (hard adj dis\$1)) same (sector\$1 or segments or zone\$1 or part\$1 or spaces or sections) same (password or passcode or PIN)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/15 20:51
S19	71	(partition\$3 or divid\$4) same (dis\$1 or (hard adj dis\$1)) same (sector\$1 or segments or zone\$1 or part\$1 or spaces or sections) same (password or passcode)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/15 20:51
S20	2	solid\$1state\$1disk	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/12/15 12:14
S21	840	"solid state disk"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/12/15 12:15
S22	840	"solid state disk" or solid\$1state\$1disk	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/12/15 12:15
S23	2	S22 and solid\$1state\$1disk	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/12/15 12:16
S24	840	solid adj state adj disk	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/12/15 12:16
S25	686	solid adj state adj dis\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/12/15 12:17

EAST Search History

S26	60	((solid adj state adj dis\$1) or "SSD" or (hard adj dis\$1) or "HD") same ((protected or secured) near2 (mode or state))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/12/15 12:18
S27	3	((solid adj state adj dis\$1) or "SSD" or (hard adj dis\$1) or "HD") same ((protected or secured) near2 (mode or state)) same (password or "pin")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/12/15 12:22
S28	2	"09775018"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/12/15 12:22
S29	27	((solid adj state adj dis\$1) or "SSD" or (hard adj dis\$1) or "HD") same ((protected or secured) near2 (mode or state)) and (password or "pin")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/12/15 15:24
S30	2	"6530004".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/12/15 14:11
S31	2	"6189014".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/12/15 14:21
S32	7	((solid adj state adj dis\$1) or (hard adj dis\$1)) same ((protected or secur\$2) near2 (mode or state)) same (password or "pin" or key)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/12/15 15:31
S33	223	((solid adj state adj dis\$1) or (hard adj dis\$1)) and (((protected or secur\$2) near2 (mode or state)) same (password or "pin" or key))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/12/15 15:31
S34	70	((solid adj state adj dis\$1) or (hard adj dis\$1)) and (((protected or secur\$2) near2 (mode or state)) same (password))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/12/15 16:01
S35	2	"5375243".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/12/15 16:09

EAST Search History

S36	33	(excess or more) near9 (data or information) near9 (segment\$4 or partition\$4 or divid\$4) near9 (hard dis\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/12/15 16:25
S37	0	eleni shiferaw	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/12/15 16:25
S38	3	eleni near shiferaw	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/12/15 16:25
S39	1	"6931503".pn. and (protected or secur\$2) and (hard disk)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/12/16 06:13
S40	2	"5375243".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/12/16 07:15
S41	2	"5657473".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/12/16 07:48
S42	126	726/34.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/12/16 08:15
S44	4	list near3 (multiple or plurality or different) near5 storage near3 size	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/12/16 08:19
S46	134	(partition\$4 or divid\$4 or segment\$4) near10 ((hard disk) or storage) near9 (different near5 size)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/12/16 09:04
S47	871	711/173.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/12/16 10:01

EAST Search History

S48	504	711/171.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/12/16 10:45
S49	5	711/170.ccls. and ((compar\$4 or match\$4) near5 (LBA or (Logical Block Address\$4)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/12/16 11:42
S50	29	711/170.ccls. and ((compar\$4 or match\$4 calculat\$4 or comput\$4) near5 (LBA or (sector near2 (capacity or size)) or (Logical Block Address\$4)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/12/16 11:43
S51	5	711/170.ccls. and ((compar\$4 or match\$4 calculat\$4 or comput\$4) near5 (LBA or (sector near2 (capacity or size)) or (Logical Block Address\$4))) same (partition\$4 or divid\$4 or segment\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/12/16 11:44
S52	127	platter near3 (partition\$4 or divid\$4 or segment\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/08/21 10:38
S55	1	((hard dis\$1 platter) or dis\$1 or platter) near2 (partition\$4 or divid\$4) same ((secure or protected) mode)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/08/21 10:47
S56	79	((hard dis\$1 platter) or dis\$1 or platter) near2 (partition\$4 or divid\$4) and ((secure or protected) mode)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/08/21 11:46
S57	2	"5,657,473".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/08/21 12:48
S58	2	"6088778".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/08/21 13:23

EAST Search History

S59	0	dis\$1 near6 (divid\$4 or partition\$4) near6 (ROM or (flash memory) or (read\$1 only memory)) near6 (RAM) same mode	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/08/21 13:28
S60	2	dis\$1 near6 (divid\$4 or partition\$4 or segment) near6 (ROM or (flash memory) or (read\$1 only memory)) near6 (RAM) same mode	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/08/21 13:29
S61	38	dis\$1 same (divid\$4 or partition\$4 or segment\$5) same (ROM or (flash memory) or (read\$1 only memory)) same (RAM) same mode	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/08/21 13:29